

A Checklist of the Trombidioidea (Acari: Prostigmata) of Iran

Alireza Saboori^{1*} and Masoud Hakimitabar²

1. Department of Plant Protection, Faculty of Agriculture, University of Tehran, Karaj, Iran.

2. Department of Plant Protection, College of Agriculture, Shahrood University of Technology, Shahrood, Iran.

Abstract: This paper reviews the research on taxonomy of the Trombidioidea in Iran, with an updated checklist of 32 species (+5 undetermined species) belonging to five families and 22 genera. Among them, 27 species (+1 undetermined species) are reported based on larvae only, three undetermined species based on adults only, and six species based on both larval and post-larval stages. Also, 14 species (+3 undetermined species) and 10 genera belonging to the family Trombidiidae, one undetermined species belonging to the family Podothrombiidae, 13 species (+1 undetermined species) and seven genera belonging to the family Microtrombidiidae, three species, three genera belonging to the family Neothrombiidae and two species and one genus belonging to the family Achaemenothrombiidae. Major contributions to the Iranian fauna of the Trombidioidea were made by Alireza Saboori and his colleagues, and Zhi-Qiang Zhang. There have been some studies on the biology and the application of the Trombidioidea in biological control in Iran.

Keywords: velvet mites, larvae, predators, Trombidioidea, ectoparasites, faunistics, biology

Introduction

The Parasitengona is one of the most diverse groups of the Trombidiformes (Zhang, 2010). It includes about 15 superfamilies, over 60 families and 8000 species and includes over half of all species of the Trombidiformes (Smith *et al.*, 2001; Zhang and Fan, 2007; Walter *et al.*, 2009; Zhang, 2010). Mąkol & Wohltmann (2012) listed 1784 species of terrestrial Parasitengona excluding Trombiculidae and Walchiidae. Many known species of the Trombidina are water mites (over 6000 species, mostly known from adults) and chiggers (over 2000 species of Trombiculidae and Leewenhoekiidae, mostly known from larvae parasitic on vertebrates). Trombidina

except chiggers were mostly described as post-larval forms in early years but larvae have been of interest for description in the last few decades (Zhang, 2010). Kamali *et al.* (2001) listed 1040 species from 430 genera of Acari of Iran and most of their records were undescribed species which were reported in M. Sc. theses and Ph. D. dissertations. For this reason, we ignored this reference but for described species we used the original papers. Saboori *et al.* (2007) presented a checklist of terrestrial Parasitengona of Iran including species which were reported until 2005. We hope that this paper will help stimulate further studies of this important group of mites in Iran and also facilitate access to Iranian literature for researchers outside Iran.

Material and Methods

The following abbreviations were used: L = Larva, DN = Deutonymph and AD = Adult.

Handling Editor: Dr. Mohammad Khanjani

*Corresponding author, e-mail: saboori@ut.ac.ir

Received: 13 November 2012; Accepted: 13 January 2013

Historical review

Trombidiidae

Allothrombium pulvinum Ewing, 1917 is the first record of Trombidoidea from Sari, Mazandaran province, Iran (Zhang and Faraji, 1994). Zhang and Norbakhsh (1995) described a new genus i.e. *Monotrombium* and three new species of *Allothrombium* as ectoparasites of wheat aphids and presented a key to world larval genera of Trombidiidae and a key to world larval species of *Allothrombium*. Later, one of these species i.e., *A. triticism* was considered as junior synonym of *A. meridionale* Berlese, 1910 by Wohltmann and Mağol (2009). They added a comment about this synonymy and mentioned both species separately in their checklist (Mağol & Wohltmann, 2012). *Allothrombium shirazicum* Zhang, 1996 was described as ectoparasite of *Forda marginata* Koch (Pemphigidae) from Shiraz, Fars province (Zhang and Rastegari 1996). Zhang and Rastegari (1996) presented a key to Iranian larval species of *Allothrombium*. Biology of *A. pulvinum* was reported from West Mazandaran by Saboori and Zhang (1996). All active instars of *Trombidium southcotti* Zhang and Saboori, 1996 were described from Koliak village, Nowshahr, Mazandaran province and a new host for *Allothrombium triticism* was recorded by Zhang and Saboori (1996a, b).

Description of deutonymph and adult and brief biology of *Allothrombium shirazicum* were reported in 1997–1999, respectively (Saboori and Zhang, 1997; Saboori, 1998, 1999; Saboori & Kamali, 1999). A checklist of Iranian Trombidiidae was presented by Saboori (1998). Adult of *Allothrombium triticism* was described from Tehran (Saboori and Kamali, 2000). Hosseini *et al.* (2002) investigated host preference of *A. pulvinum* larvae on three aphid species.

Two new genera, *Iranitrombium* and *Azaritrombium* were described from East and West Azarbaijan provinces, respectively (Saboori *et al.*, 2003, 2005). The latter was considered as a junior synonym of *Dolichothrombium* by Mağol and Sevsay (2011) after rearing its adults in the laboratory. A key to

world larval genera of Trombidiidae was presented by Saboori *et al.* (2003). Preference of adults of *A. pulvinum* for eggs of *Planococcus citri* (Risso) and *Pulvinaria aurantii* Cockerell on citrus leaves was studied by Saboori *et al.* (2003). Hosseini *et al.* (2005) studied predation rate, prey preference and functional response of *A. pulvinum* deutonymphs on *Tetranychus urticae* and *Amphitetranynchus viennensis*. Saboori *et al.* (2006) described a new genus and species from larvae ectoparasitic on *Hyalopterus pruni* (Geoffroy) (Hemiptera: Aphididae) from Oskoo, East Azarbaijan province.

Two new species of larval *Trombidium* were described from East Azarbaijan province and a key to Iranian genera of Trombidiidae (larva) was presented (Saboori and Haddad Irani-nejad 2007; Saboori *et al.* 2008). Saboori and Lazarboni (2008) described a new genus and species, *Cicaditrombium weni* from Astaneh, Markazi province. New morphological data for the larva of *Allothrombium neapolitanum* Oudemans, 1910 has been presented by Saboori *et al.* (2008) for specimens that were collected from Tonekabon, Mazandaran province. They also presented distribution and host record of *Allothrombium* larvae. Genetic variation in populations of *A. pulvinum* from Northern Iran revealed by mitochondrial *coxI* and nuclear rDNA ITS2 sequences was studied by Khalili Mahani *et al.* (2009). Shirafkan *et al.* (2012) studied proteinase, carbohydrase and lipase activities in the gut of *A. pulvinum*.

Podothrombiidae

Deutonymph of an undetermined species of *Podothrombium* was collected from soil surface in Koliak village, Nowshahr, Mazandaran province (Saboori 1998; Saboori *et al.*, 2007).

Microtrombidiidae

Willmannella kazerunica Zhang and Saboori, 1997 is the first record of the family Microtrombidiidae in Iran. It was described as an ectoparasite of an undetermined Diptera from Kazerun, Fars province (Zhang and Saboori, 1997). Saboori *et al.* (2000) and Saboori and Nemati (2001) described two new

species of *Eutrombidium* from Ahwaz, Khuzestan province as ectoparasite of *Gryllus domesticus* L. and *G. desertus* L. (Orthoptera: Gryllidae), both with deeply cleft lateral coxala I, coxalae II and III. Karimi Irvanlou *et al.* (2000) described three new species of larval *Eutrombidium* from Alborz and Tehran provinces. In 2002, *Trichotrombidium rafieiae* Saboori was described as ectoparasite of a house fly, *Musca domestica* L. (Diptera: Muscidae) and a key to world larval species of *Trichotrombidium* was presented (Saboori 2002a).

Saboori *et al.* (2009) described the first Asian species of the genus *Enemothrombium* from larvae as ectoparasite of undetermined Chironomidae (Diptera) from Kaka Reza village, Khorram Abad, Lorestan province and presented a key to world larval species. *Empitrombium pesici* Saboori and Hakimitabar was described as the first non-American species of the genus from larvae reared from eggs in the laboratory at room temperature collected from Ramsar, Mazandaran province (Saboori *et al.*, 2009b). They presented a key to world larval species of *Empitrombium*. A new genus and species, *Persianthrombium farajii* Sedghi, Saboori and Hakimitabar, 2010 was described from larvae ectoparasitic on *Locusta* sp. (Orthoptera: Acrididae) from Jahrom, Fars province and a key to world larval genera of Microtrombidiidae with three dorsal scuta was presented (Sedghi *et al.*, 2010). Azimi *et al.* (2011) reported *Eutrombidium sorbasiensis* from Marand city, East Azarbaijan province for the first time and presented its new morphological data. Hakimitabar *et al.* (2012) reported *Fissitrombium* sp. from Alborz and Razavi Khorasan provinces but our re-analysis has shown that it belongs to *Atractothrombium* Feider.

Neothrombiidae

Neothrombium neglectum (Bruyant, 1909) is the first larval species of this family from Kazerun, Fars province. This species was initially recorded as a new species, *N. mojdehii*, by Saboori and Ostovan (2001) but recently it was considered as a junior synonym of *N. neglectum* by Mąkol *et al.* (2009). It is a

common ectoparasite of *Gryllotalpa gryllotalpa* L. (Orthoptera: Gryllotalpidae). Saboori (2002b) described a new genus and species, *Southcotella nematii*, as ectoparasite of *Gryllus domesticus* L. (Orthoptera: Gryllidae) from Ahwaz, Khuzestan province and presented a key to world larval genera of the Neothrombiidae.

A new species of *Neosilphitrombium* was described from larvae ectoparasitic on *Opatroides punctatus* Brullé, 1832 (Coleoptera: Tenebrionidae) from Mashhad and Gonabad, Khorasan Razavi province by Saboori *et al.* (2011). They presented a key to world larval species of the genus.

Achaemenothrombiidae

This family was established by Saboori *et al.* (2010) to accommodate the new genus *Achaemenothrombium*. One species, *A. cyrusi*, was collected as ectoparasite of *Catocala* sp. (Lepidoptera: Noctuidae) from Tehran and another one, *A. talebii* (Karimi Irvanlou and Kamali, 2001) was collected from Varamin, both from Tehran province. A key to families of larval Trombidioidea and to species of *Achaemenothrombium* (larva) is presented as well (Saboori *et al.*, 2010). Saboori *et al.* (2010) suggested that the collection date of the latter may be incorrect while its host record (grasshopper) is correct but collecting an undescribed species of the genus as ectoparasite of a moth (unpublished data) supported this assumption that members of this genus have an association with Lepidoptera and that the host record of *A. talebii* may be incorrect.

Results

Superfamily TROMBIDIOIDEA Leach, 1815

Family TROMBIDIIDAE Leach, 1815

Subfamily ALLOTHROMBIINAE Thor, 1935

Genus *Allothrombium* Berlese, 1903

Allothrombium pulvinum Ewing, 1917 (AD, DN, L)

New record: Tehran Province.

Previous records: Mazandaran, Guilan, North Khorasan, Razavi Khorasan, West and East

Azerbaijan and Ardebil provinces (Zhang and Faraji, 1994; Saboori and Zhang, 1996; Saboori, 1998; Khalili Mahani *et al.*, 2009)

Distribution: UK, Spain, Iran, China, USA (Zhang and Faraji, 1994; Saboori and Zhang, 1996; Saboori, 1998; Haitlinger, 2006a; Saboori *et al.* 2007, 2008; Khalili Mahani *et al.*, 2009).

A. mossi Zhang, 1995 (L)

Previous record: Chaharmahal va Bakhtiari Province (Zhang and Norbakhsh, 1995).

Distribution: Iran.

A. neapolitanum Oudemans, 1910 (L)

Previous record: Mazandaran province (Saboori *et al.*, 2008).

Distribution: Italy, Switzerland, Iran (Oudemans, 1910; Mąkol & Wohltmann, 2012; Saboori *et al.*, 2008).

A. shirazicum Zhang, 1996 (AD, DN, L)

Previous records: Fars Province (Zhang and Rastegari, 1996), Markazi and Semnan provinces (Saboori, 1999; Saboori and Zhang, 1997; Saboori and Kamali, 1998, 1999).

Distribution: Iran.

A. triticism Zhang, 1995 (AD, L)

New records: Alborz and Tehran provinces.

Previous records: Mazandaran province (Zhang and Saboori, 1996a), Chaharmahal va Bakhtiari province (Zhang and Norbakhsh, 1995).

Distribution: Turkey (Haitlinger, 2000), Spain (Goldarazena and Zhang, 1997), Greece (Haitlinger, 2006b), Moldova & Ukraine (Haitlinger, 2008), Iran (Zhang and Norbakhsh, 1995; Zhang and Saboori, 1996a; Saboori and Kamali, 2000; Saboori *et al.*, 2008).

Monotrombium simplicium Zhang, 1995 (L)

New record: East Azarbaijan

Previous records: Chaharmahal va Bakhtiari province (Zhang and Norbakhsh, 1995); Fars province (Zhang and Rastegari, 1996).

Distribution: Iran.

Ronaldothrombium bellator (Southcott, 1986) (L)

New record: Fars province.

Distribution: Australia (Mąkol, 2007), Iran.

Dinothrombium sp. (AD)

New record: Boushehr province.

Previous records: Sistan va Balouchestan and Hormozgan provinces (Saboori *et al.*, 2007).

Subfamily **TROMBIDIINAE Leach, 1815**

Trombidium southcotti Zhang and Saboori, 1996 (AD, DN, L)

Previous record: Mazandaran (Zhang and Saboori, 1996b).

Distribution: Iran.

T. barooghi Saboori and Haddad Irani-nejad, 2007 (L)

Previous record: East Azarbaijan province (Saboori and Haddad Irani-nejad, 2007).

Distribution: Iran.

T. payamiensis Saboori, Lotfollahi and Haddad Irani-nejad, 2008 (L)

Previous record: East Azarbaijan province (Saboori *et al.*, 2008)

Distribution: Iran.

Cicaditrombium weni Saboori and Lazarboni, 2008 (L)

New records: Fars and Alborz provinces.

Previous record: Markazi province (Saboori and Lazarboni, 2008).

Distribution: Iran.

Subfamily **DOLICHOTHROMBIINAE Mąkol, 2007**

Dolichothrombium raphanicum (Saboori, Bagheri and Haddad Irani-nejad, 2005) (L)

Previous record: East Azarbaijan province (Saboori *et al.*, 2005)

Distribution: Iran.

Dolichothrombium sp. (AD)

New record: Tehran province.

Previous records: North Khorasan and Hormozgan provinces (Saboori *et al.*, 2007).

Subfamily **PARATROMBIINAE Mąkol, 2007**

Paratrombium sp. (AD, L)

Previous records: Mazandaran and Semnan provinces (Saboori *et al.*, 2007).

TROMBIDIIDAE incertae sedis

Note. Of the following genera and species, the set of characters or the quality of descriptions do not allow appropriate affiliation to any of the subfamilies within Trombidiidae (Mąkol and Wohltmann, 2012).

Iranitrombium miandoabicum Saboori, Hajiqaanbar and Haddad Irani-nejad, 2003 (L)

Previous record: West Azerbaijan (Saboori *et al.*, 2003).

Distribution: Iran.

Oskootrombium prasadi Saboori, Bagheri and Haddad Irani-nejad, 2006 (L)

Previous records: East Azarbaijan Province (Saboori *et al.*, 2006).

Distribution: Iran.

Family PODOTHROMBIDIIDAE Thor, 1935

Podothrombium sp. (AD, L)

New record: Ardebil province.

Previous record: Mazandaran province (Saboori *et al.*, 2007).

Family MICROTROMBIDIIDAE Thor, 1935

Subfamily VALGOTROMBIINAE Gabryś, 1999

Enemothrombium Berlese, 1910

E. wohlmanni Saboori, Shojaei and Hakimitabar, 2009 (L)

Previous records: Lorestan province (Saboori *et al.*, 2009).

Distribution: Iran.

Subfamily EUTROMBIDIINAE Thor, 1936

Eutrombidium Thor, 1935

E. djordjevici Saboori and Pešić, 2006 (L)

New records: Markazi, Fars and East Azerbaijan provinces.

Distribution: Iran, Montenegro (Saboori and Pešić, 2006a).

E. elburzensis Karimi Irvanlou, Kamali and Talebi, 2000 (L)

Previous records: Alborz and Tehran provinces (Karimi Irvanlou *et al.*, 2000).

Distribution: Iran.

E. fathipouri Karimi Irvanlou, Kamali and Talebi, 2000 (L)

Previous record: Alborz province (Karimi Irvanlou *et al.*, 2000).

Distribution: Iran.

E. mossadeghi Saboori and Nemati, 2001 (L)

Previous record: Khouzestan province (Saboori and Nemati, 2001).

Distribution: Iran.

E. sepasgosariani Saboori, Nemati and Mosaddegh, 2000 (L)

Previous record: Khouzestan province (Saboori *et al.*, 2000)

Distribution: Iran.

E. sorbasiensis Mayoral and Barranco, 2004 (L)

New records: Alborz and Razavi Khorasan provinces.

Previous records: East Azerbaijan province (Azimi *et al.*, 2011).

Distribution: Spain (Mayoral and Barranco, 2004), Iran (Azimi *et al.*, 2011).

E. tehranicum Karimi Irvanlou, Kamali and Talebi, 2000 (L)

Previous records: Tehran and Alborz provinces (Karimi Irvanlou *et al.*, 2000).

Distribution: Iran.

E. aegyptium Karimi Irvanlou, Kamali and Talebi, 2000 (L)

Previous record: Alborz province (Karimi Irvanlou *et al.*, 2000).

Distribution: Iran.

Subfamily MICROTROMBIDIINAE Thor, 1935

Atractothrombium Feider, 1952

Atractothrombium sp. (L)

Previous record: Alborz and Razavi Khorasan provinces (Hakimitabar *et al.*, 2012).

Persianthrombium Sedghi, Saboori and Hakimitabar, 2010

P. farajii Sedghi, Saboori and Hakimitabar, 2010 (L)

Previous record: Fars province (Sedghi *et al.*, 2010).

Distribution: Iran.

Trichotrombidium Kobulej, 1951

T. rafieiae Saboori, 2002 (L)

New record: Tehran province

Previous record: Markazi province (Saboori, 2002).

Distribution: Iran (Saboori, 2002), Montenegro (Saboori and Pešić, 2006b).

Willmannella Feider, 1952

W. kazerunica Zhang and Saboori, 1997 (L)

Previous record: Fars province (Zhang and Saboori, 1997).

Distribution: Iran.

Empitrombium Southcott, 1994

E. pesici Saboori and Hakimitabar, 2009 (L)

Previous record: Mazandaran province (Saboori *et al.*, 2009b).

Distribution: Iran.

Family NEOTHROMBIDAE Feider, 1959*Neothrombium* Feider, 1959*N. neglectum* (Bruyant, 1909) (L)

New records: Khuzestan and Golestan provinces.

Previous record: Fars province (Saboori and Ostovan, 2001).

Distribution: Austria (Willmann, 1950), Bulgaria (Beron, 1995), France and Italy (Oudemans, 1912), Germany (Kneissl, 1914), Poland (Haitlinger, 1998; Małol et al., 2009), Romania (Feider, 1945), former USSR (Feider, 1955), China (Fan, 1984), and Iran (Saboori and Ostovan, 2001). A collection site was not specified in Kneissl (1914) and Feider (1945).

Southcottella Saboori, 2002*S. nematii* Saboori, 2002 (L)

Previous record: Khuzestan province (Saboori, 2002).

Distribution: Iran.

Neosilphitrombium Fain, 1992*N. tenebrionidum* Saboori, Hajiqaanbar and Hakimitabar, 2011 (L)

Previous record: Razavi Khorasan province (Saboori et al., 2011).

Distribution: Iran.

Family ACHAEMENOTHROMBIDAE Saboori, Wohltmann and Hakimitabar, 2010*Achaemenothrombium* Saboori et al., 2010*A. cyrusi* Saboori et al., 2010 (L)

Previous record: Tehran province (Saboori et al., 2010).

Distribution: Iran.

A. talebii (Karimi Irvanlou and Kamali, 2001) (L)

Previous record: Tehran province (Karimi Irvanlou and Kamali, 2001; Saboori et al., 2010).

Distribution: Iran.

References

- Azimi, S., Saboori, A. and Shirdel, D. 2011. New morphological data on *Eutrombidium sorbasiensis* larva (Acari: Microtrombidiidae) from specimens collected in Iran. *Natura Montenegrina*, 10 (1): 29-38.
- Beron, P. 1995. Revue des recherches sur les acarions terrestres (ordre Acariformes, sous-

ordre Prostigmata) en Bulgarie. *Historie naturalis Bulgarica*, 5: 3-12.

Fan, X. 1984. A new species and a new record of the genus *Neothrombium* from China (Acarina: Trombidiidae). *Entomotaxonomia*, 6 (4): 319-322 (in Chinese with English abstract).

Feider, Z. 1945. Un acarion parasite de la courtiliere. *Bulletin de la Section Scientifique de l'Academie Roumaine*, 27 (8): 528-532.

Feider, Z. 1955. Acarina Trombidoidea. *Fauna Republicii. Populare Romine*, 5 (1): 1-187.

Goldarazena, A. and Zhang, Z.-Q. 1997. Notes on larvae of *Allothrombium* (Acari: Trombidiidae) in Navarra-Nafarroa (northern Spain) with description of a new species ectoparasite on aphids (Homoptera: Aphididae). *Systematic & Applied Acarology*, 2: 219-225.

Haitlinger, R. 1998. New genera and species of larval Microtrombidiidae and Neothrombidiidae [sic!] (Acari, Prostigmata) from Poland, Scotland, Madagascar and Vietnam. *Wiadomości Parazytologiczne*, 44 (2): 233-259.

Haitlinger, R. 2000. New larval mites (Acari: Prostigmata: Erythraeidae, Microtrombidiidae, Trombidiidae) from Turkey, Peru and Poland. *Wiadomości Parazytologiczne*, 46 (3): 379-396.

Haitlinger, R. 2006a. Eight new species and new records of mites (Acari: Prostigmata: Erythraeidae, Trombidiidae, Johnstonianidae) from China including Macao. *Systematic & Applied Acarology*, 11: 83-105.

Haitlinger, R. 2006b. New records of mites (Acari: Prostigmata: Erythraeidae, Trombidiidae) from Samos, Greece, with description of six new species. *Systematic & Applied Acarology*, 11: 107-123.

Hakimitabar, M., Saboori, A. and Mokhtari Saaveh, H. 2012. Non Australian *Fissitrombium* from Iran. Abstract book of the 20th Iranian Plant Protection Congress, Shiraz University, Shiraz, p. 414.

Hosseini, A., Hatami, B. and Saboori, A. 2002. Host preference by *Allothrombium pulvinum*

- Ewing (Acari: Trombidiidae) larvae on aphids: *Macrosiphum rosae* (L.), *Aphis gossypii* Glover and *Hyalopterus amygdali* Geoffroy (Homoptera: Aphididae). *Experimental & Applied Acarology*, 27 (4): 297-302.
- Hosseini, A., Hatami, B., Saboori, A., Allahyari, H. and Ashouri, A. 2005. Predation by *Allothrombium pulvinum* on the spider mites *Tetranychus urticae* and *Amphitetranychus viennensis*: predation rate, prey preference and functional response. *Experimental & Applied Acarology*, 37: 173-181.
- Kamali, K., Ostovan, H. and Atamehr, A. (2001) A catalog of mites and ticks (Acari) of Iran. Islamic Azad University Scientific Publication Center, 196 pp.
- Karimi Iravanlou, J. S. and Kamali, K. 2001. A new larva of the genus *Keramotrombium* Southcott, 1994 (Acari, Prostigmata, Microtrombidiidae) parasitic on *Acrida Oxycephala* (Pall.) (Orthoptera: Acrididae) from Varamin, Iran. *Journal of Agricultural Sciences*, 7 (3): 37-47.
- Karimi Iravanlou, J.S., Kamali, K. and Talebi, A. A. 2000. Four new larvae of the genus *Eutrombidium* Verdun, 1909 (Acari, Prostigmata, Eutrombidiidae) Parasitic on short-horned grasshoppers (Orthoptera, Acrididae) from Varamin and Karaj, Iran. *Agricultural Science*, 10 (2): 63-77 (in Persian with English abstract).
- Khalili Mahani, M., Inomata, N., Saboori, A., Tabatabaei, S. E., Ishiyama, H., Ariana, A. and Szmids, A. E. 2009. Genetic variation in populations of *Allothrombium pulvinum* (Acari: Trombidiidae) from northern Iran revealed by mitochondrial cox I and nuclear rDNA ITS2 sequences. *Experimental & Applied Acarology*, 48: 273-289.
- Kneissl, V. L. 1914. Über *Gamasoides carabi* (Can.) Berl. und *Neothrombium neglectum* (Bruy.) Oudms. *Zoologischer Anzeiger*, 45: 33-35.
- Małol, J. 2007. Generic level review and phylogeny of Trombidiidae and Podothrombidiidae (Acari: Actinotrichida: Trombidoidea) of the world. *Annales Zoologici*, 57 (1), 1-194.
- Małol, J., Laydanowicz, J. and Kosiska, A. 2009. A redescription of *Neothrombium neglectum* (Bruyant, 1909) with revision of *Neothrombium* (Acari: Neothrombidiidae) and notes on the biology of species. *International Journal of Acarology*, 35 (4): 275-301.
- Małol, J. and Sevsay, S. 2011 Notes on the genus *Dolichothrombium* (Acari: Prostigmata: Trombidiidae) with description of a new species. *Zootaxa*, 2971: 1-16.
- Małol, J. and Wohltmann, A. 2012 An annotated checklist of terrestrial Parasitengona (Actinotrichida: Prostigmata) of the world, excluding Trombiculidae and Walchiidae. *Annales Zoologici*, 62 (3): 359-562.
- Mayoral, J. and Barranco, P. 2004. A new species of the genus *Eutrombidium* Verdun (Acari: Eutrombidiidae) from southeastern Spain. *Systematic & Applied Acarology*, 9: 183-190.
- Oudemans, A. C. 1910. *Acarologische Aanteekeningen XXXI. Entomologische Berichten*, 3 (52): 43-51.
- Oudemans, A. C. 1912. Die bis jetzt bekannten Larven von Trombidiidae und Erythraeidae mit besonderer Berücksichtigung der für den Menschen schädlichen Arten. *Zoologische Jahrbücher, Abteilung 1, Supplement 14, Erstes Heft*, 230 pp.
- Saboori, A. 1998. Mites of family Trombidiidae Leach (Acari: Prostigmata) of Iran. *Journal of Entomological Society of Iran*, 16 & 17: 5-7.
- Saboori, A. 1999. Description of *Allothrombium shirazicum* adult (Acari: Trombidiidae) from Iran. *Systematic & Applied Acarology*, 4: 197-198.
- Saboori, A. 2002a. Two new species of larval mites (Acari: Microtrombidiidae, Erythraeidae) from Iran. *Biologia*, 57 (5): 547-552.
- Saboori, A. 2002b. A new genus and species of larval Neothrombidiidae (Acari: Trombidoidea) from Iran. *Systematic & Applied Acarology*, 7: 185-190.
- Saboori, A., Bagheri, M., Haddad Irani-nejad, K., Kamali, K. and Khanjani, M. 2005. A new genus and species of Trombidiinae (Acari: Trombidiidae) described from larvae

- ectoparasitic on aphid from Iran. *Zootaxa*, 1089: 49-56.
- Saboori, A., Bagheri, M., Haddad Irani-nejad, K., Kamali, K. and Khanjani, M. 2006. A new genus and species of Trombidiidae (Acari: Trombidioidea) described from larvae ectoparasitic on *Hyalopterus pruni* (Aphidoidea: Aphididae) from Iran. *Systematic & Applied Acarology*, 11: 247-252.
- Saboori, A. and Haddad Irani-nejad, K. 2007. A new species of *Trombidium* (Acari: Trombidiidae) from East Azarbaijan province, Iran. *Zootaxa*, 1531: 63-68.
- Saboori, A., Hajiqaanbar, H. and Haddad Irani-nejad, K. 2003. A new genus and species of mite (Acari: Trombidiidae) ectoparasitic on thrips in Iran. *International Journal of Acarology*, 29 (2): 127-132.
- Saboori, A., Hajiqaanbar, H. and Hakimitabar, M. 2011. First Iranian species of *Neosilphitrombium* (Acari: Prostigmata: Neothrombiidae) with a key to world species. *Zootaxa*, 2738: 60-68.
- Saboori, A., Hosseini, A. and Asadi, M. 2007. Acari of Iran, Vol. 1, Parasitengone Mites. University of Tehran Press, 280 pp.
- Saboori, A., Hosseini, A. and Hatami, B. 2003. Preference of adults of *Allothrombium pulvinum* Ewing (Acari: Trombidiidae) to eggs of *Planococcus citri* Cockerell and *Pulvinaria aurantii* Risso on citrus leaves in the laboratory. *Systematic & Applied Acarology*, 8: 49-54.
- Saboori, A. and Kamali, K. 1998. Observations on the biology of *Allothrombium shirazicum* Zhang (Acari: Trombidiidae) a natural enemy of *Aphis punicae* in Garmsar. Abstract book of the 13th Iranian Plant Protection Congress, Karaj Junior College of Agriculture, Karaj, p. 139.
- Saboori, A. and Kamali, K. 1999. Biology of *Allothrombium shirazicum* Zhang (Acari: Trombidiidae) in Garmsar, Semnan Province, Iran. *Systematic & Applied Acarology*, 4: 199-200.
- Saboori, A. and Kamali, K. 2000. Description of *Allothrombium triticism* adult (Acari: Trombidiidae) from Iran. *Systematic & Applied Acarology*, 5: 207-208.
- Saboori, A. and Lazarboni, H. 2008. A new genus and species of Trombidiidae (Acari: Trombidioidea) described from larvae ectoparasitic on *Cicadatra ochreate* Melichar (Homoptera: Cicadidae) from Iran. *Zootaxa*, 1852: 50-58.
- Saboori, A., Lotfollahi, P. and Haddad Irani-nejad, K. 2008. A new species of the genus *Trombidium* (Acari: Prostigmata: Trombidiidae) from Iran. *Systematic & Applied Acarology*, 13: 237-243.
- Saboori, A. and Nemati, A. 2001. A new species and a new host record of the genus *Eutrombidium* Verdun (Acari: Eutrombidiidae) from Iran. *Systematic & Applied Acarology Special Publications*, 7: 5-14.
- Saboori, A., Nemati, A. and Mossadegh, M.S. 2000. A new host record of the genus *Eutrombidium* Verdun, 1909 (Acari: Eutrombidiidae), with description of a new species from Iran. *Systematic & Applied Acarology*, 5: 183-186.
- Saboori, A. and Ostovan, H. 2001. A new species of larval *Neothrombium* Feider, 1959 (Acari: Neothrombidiidae) from Iran. *Systematic & Applied Acarology*, 6: 203-207.
- Saboori, A. and Pešić, V. 2006a. A new species of the genus *Eutrombidium* Verdun, 1909 (Acari: Eutrombidiidae) from Montenegro. *Systematic & Applied Acarology*, 11: 237-245.
- Saboori, A., and Pešić, V. 2006b. Report of terrestrial parasitengone mites (Acari: Prostigmata: Parasitengona) new to the fauna of Montenegro. *Proceedings of II International Symposium of Ecologists of Montenegro*, Podgorica, Montenegro, p. 38.
- Saboori, A., Shiroodbakhshi, M. and Aghajanzadeh, S. 2008. New morphological data for the larva of *Allothrombium neapolitanum* Oudemans, 1910 (Acari: Prostigmata: Trombidiidae). *Systematic & Applied Acarology*, 13: 75-80.
- Saboori, A., Shojaei, M. S., Hakimitabar, M., Shakarami, J. and Zahedi Golpayegani, A. 2009a. First Asian species of

- Enemotrombium* Berlese (Acari: Microtrombidiidae) from Iran, with a key to world larval species. *International Journal of Acarology*, 35 (4): 349-355.
- Saboori, A., Wohltmann, A. & Hakimitabar, M. (2010) A new family of trombidoid mites (Acari: Prostigmata) from Iran. *Zootaxa*, 2611: 16-30.
- Saboori, A., Zahedi Golpayegani, A., Hakimitabar, M., Kabiri, H., Saei Dehghan, M. and Tork, M. 2009b. First non American species of *Empitrombium* Southcott (Acari: Microtrombidiidae) from Iran, with a key to world species. *International Journal of Acarology*, 35 (3): 235-244.
- Saboori, A. and Zhang, Z.-Q. 1996. Biology of *Allothrombium pulvinum* Ewing (Acari: Trombidiidae) in West Mazandaran, Iran. *Experimental & Applied Acarology*, 20: 137-142.
- Saboori, A. and Zhang, Z.-Q. 1997. Description of *Allothrombium shirazicum* deutonymph (Acari: Trombidiidae) from Iran. *Systematic & Applied Acarology*, 2: 251-252.
- Sedghi, A., Saboori, A., Akrami, M. and Hakimitabar, M. 2010. A new genus and species of larval mites (Acari: Prostigmata: Microtrombidiidae) from Iran. *Zootaxa*, 2504: 61-68.
- Shirafkan, K., Hosseininaveh, V. and Saboori, A. 2012. Proteinase, carbohydrase and lipase activities in the gut of *Allothrombium pulvinum* (Acari: Trombidiidae). *International Journal of Acarology*, 38 (4): 324-333.
- Smith, I. M., Cook, D. R., Cook and Smith, B. P. 2001. Water mites (Hydrachnidae) and other arachnids. In Thorp J.H. and A. P. Covich (Eds), *Ecology and classification of North American freshwater invertebrates* (2nd edition). Academic Press, San Diego, California, pp. 551-659.
- Walter, D. E., Lindquist, E. E., Smith, I. M., Cook, D. R. and Krantz, G. W. 2009. Order Trombidiformes. In: Krantz, G. W. and Walter, D. E (Eds) *A Manual of Acarology*, Third Edition. Texas Tech University Press, Lubbock, pp. 233-420.
- Willmann, C. 1950. Auffällige neue Formen unter den Trombidiiden (Acari). *Zoologischer Anzeiger, Ergänzungsband zu band*, 145: 1100-1113.
- Wohltmann, A. and Makol, J. 2009. A redescription of *Allothrombium meridionale* Berlese, 1910 (Acari: Trombidiformes: Trombidioidea) with notes on biology and developmental malformations. *Annales Zoologici*, 59 (3): 397-413.
- Zhang, Z.-Q. 2010. Terrestrial Parasitengona (except chiggers) of China: a review of progress in systematics and biology, with a checklist of species. *Zoosymposia*, 4: 94-105.
- Zhang, Z.-Q. and Fan, Q.-H. (2007) Allotanaupodidae, a new family of early derivative Parasitengona (Acari: Prostigmata). *Zootaxa*, 1517: 1-52.
- Zhang, Z.-Q. and Faraji, F. 1994. Notes on *Allothrombium pulvinum* Ewing (Acari: Trombidiidae) new to the fauna of Iran. *Acarologia*, 35: 357-360.
- Zhang, Z.-Q. and Norbakhsh, H. 1995. A new genus and three new species of mites (Acari: Trombidiidae) described from larvae ectoparasitic on aphids from Iran. *European Journal of Entomology*, 92: 705-718.
- Zhang, Z.-Q. and Rastegari, N. 1996. Larval mites (Acari: Trombidiidae) parasitic on aphids in Iran: key, a new species and new record. *Tijdschrift voor Entomologie*, 139: 91-96.
- Zhang, Z.-Q. and Saboori, A. 1996a. A new host record of *Allothrombium triticism* larvae (Acari: Trombidiidae) ectoparasitic on *Coccinella septempunctata* (Coleoptera: Coccinellidae). *Systematic & Applied Acarology*, 1: 207-208.
- Zhang, Z.-Q. and Saboori, A. 1996b. Descriptions of the larva, deutonymph and adult of *Trombidium southcotti* sp. nov. (Acari: Trombidiidae) from Iran. *Systematic & Applied Acarology*, 1: 157-165.
- Zhang, Z.-Q. and Saboori, A. 1997. Taxonomic notes on larvae of *Willmannella* (Acari: Microtrombidiidae) and description of a new species from Iran. *Systematic & Applied Acarology Special Publication*, 1: 5-18.

فهرست کنه‌های بالاخانواده Trombidioidea (Acari: Prostigmata) در ایران

علیرضا صبوری^{۱*} و مسعود حکیمی‌تبار^۲

۱- کرج، پردیس کشاورزی و منابع طبیعی دانشگاه تهران، گروه گیاه‌پزشکی

۲- شاهرود، دانشگاه صنعتی شاهرود، دانشکده کشاورزی، گروه گیاه‌پزشکی

* پست الکترونیکی نویسنده مسئول مکاتبه: saboori@ut.ac.ir

دریافت: ۲۳ آبان ۱۳۹۱؛ پذیرش: ۲۴ دی ۱۳۹۱

چکیده: در این مقاله، پژوهش‌های مربوط به رده‌بندی بالاخانواده Trombidioidea در ایران به همراه فهرست به‌روز شده ۳۲ گونه (به اضافه ۵ گونه شناسایی نشده) متعلق به پنج خانواده و ۲۲ جنس مورد بررسی قرار می‌گیرند. در بین آنها ۲۷ گونه (به اضافه ۱ گونه شناسایی نشده) تنها براساس مرحله لاروی، سه گونه شناسایی نشده تنها براساس مرحله کامل و شش گونه براساس مراحل لاروی و پس-لاروی گزارش می‌شوند. همچنین ۱۴ گونه (به اضافه ۳ گونه شناسایی نشده) و ۱۰ جنس به خانواده Trombidiidae، یک گونه شناسایی نشده به خانواده Podothrombiidae، ۱۳ گونه (به اضافه ۱ گونه شناسایی نشده) و ۷ جنس به خانواده Microtrombidiidae، سه گونه و سه جنس به خانواده Neothrombidiidae و دو گونه و یک جنس به خانواده Achaemenothrombidiidae تعلق دارند. کارهای عمده در مورد فون بالاخانواده Trombidioidea در ایران را صبوری و همکاران، و زی-کیانگ زانگ انجام داده‌اند. مطالعاتی در زمینه زیست‌شناسی و کاربرد Trombidioidea در کنترل بیولوژیک در ایران صورت گرفته است.

واژگان کلیدی: کنه‌های مخملی، لاروها، شکارگرها، Trombidioidea، انگل‌های بیرونی، فونیستیک، زیست‌شناسی